



# The Use of Model-Driven Methodologies and Processes in Aegis Development

**Jamie.Durbin@lmco.com**

**Christopher.M.Thompson@lmco.com**

**May 17, 2011**


Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>17 MAY 2011</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2011 to 00-00-2011</b>	
4. TITLE AND SUBTITLE <b>The Use of Model-Driven Methodologies and Processes in Aegis Development</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Lockheed Martin Corporation,Chery Hill,NJ,08002</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES <b>Presented at the 23rd Systems and Software Technology Conference (SSTC), 16-19 May 2011, Salt Lake City, UT. Sponsored in part by the USAF. U.S. Government or Federal Rights License</b>					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>30</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

# Open Architecture Evolution

*Phase 1: Commercial Technology...*




- **Commercial Standards**
- **Commodity Products**
- **Separation of Application/  
Infrastructure**
- **Planned Refresh Cycles**



**Leverage the Commercial Marketplace –  
Exploit Continuous Increases in Performance**

# Open Architecture Evolution

*Phase 2: Componentized Software...*



- ***Component-Based Designs***
- ***Distributed Processing***
- ***Message-Passing Architectures***
- ***Modern Development Technologies***

***Decreased Development Time –  
Reduced Cost***

# Open Architecture Evolution

*Phase 3: Open Business Model...*



- ***Open Disclosure / Data Rights***
- ***Peer Reviews and Independent Assessments***
- ***OAET – Contract Guidebook***
- ***SHARE Repository***
- ***Industry Days***
- ***Technology Collaboration Centers***



***Increased Number of Players/Opportunities –  
Improved Transition of S&T Into Fleet***

# Open Architecture Evolution

Step-by-Step...



*Foundation*

- **Commercial Standards**
- **Commodity Products**
- **Separation of Application/ Infrastructure**
- **Planned Refresh Cycles**

- **Component-Based Designs**
- **Distributed Processing**
- **Message-Passing Architectures**
- **Modern Development Technologies**


- **Open Disclosure / Data Rights**
- **Peer Reviews and Independent Assessments**
- **OAET – Contract Guidebook**
- **SHARE Repository**

***Maximizing Affordability***



# Open Architecture Evolution

*Combat System Alignment...*




- **Product-Line Approach**
- **Decouple Capability Development from Platform**
- **Government Owned Architecture and Authenticated Interfaces**
- **High-Level Acquisition Strategy**
- **Objective Architecture**

**Reuse Capability Improvements – “Build it Once”**

# Objective Architecture

*Roles and Responsibilities...*




***Navy Taking a Lead Role***



# Objective Architecture


## Architectural Context...



- **Consistent Domains / Boundaries**
- **Common Precepts and Methods**
- **Common Functional Allocation**
- **Common Data Model**
- **Core Common Components**

**Architecture Definition Document Provides  
“Guidance” for Product/Capability Development**

# Architecture Description Document



# Top Level Objective Architecture

*“Functional View...”*



# Top Level Objective Architecture

*“Functional View...”*



## External Communications Domain

- Provide secure and non-secure voice/data communications
- Perform link management and data forwarding
- Control / monitor comms devices and route data among them
- Report comms status and effective throughput

## Display / User Interface Domain

- Display Data (e.g., tracks, tactical situation, operational readiness, ...)
- Provide set of common display services and frameworks for applications
- Support variety of display devices
- Display alerts and status
- Process operator actions
- Provide common/consistent GUIs across platforms
- Provide visualization tools

## Vehicle Control Domain

- Launch, recover and control manned air vehicles (fixed wing and helo)
- Deconflict airspace / maintain safety of flight
- Control manned small boats
- Control unmanned vehicles (air, surface, undersea)
- Manage links to controlled vehicles

## Weapon Mgmt Domain

- Process engagement orders
- Compute threat engageability
- Select weapons and schedule engagements
- Initialize/control weapons
- Monitor engagement status
- Monitor/control missiles in flight
- Assess engagement effectiveness/ kill
- Report weapon and engagement status

## Sensor Mgmt Domain

- Manage and control sensors
- Search/detect objects in background environment
- Transition to track targets
- Report target measurement, track, and attribute data
- Assess and correct measurement errors/biases
- Report sensor status and capabilities

## Track Mgmt Domain

- Create System Track File
- Contribute to operational picture
- Determine track ID
- Resolve ID conflicts
- Integrate multiple track data sources
- Perform geodetic registration
- Distribute track data according to need

## Command and Control Domain

- Control tactical doctrine
- Evaluate threats
- Evaluate tactical options
- Determine COA
- Plan missions
- Assess mission effectiveness
- Manage resources
- Provide decision aids for operators

## Ship Control Domain

- Provide precision Nav/Time data
- Generate power / propel ship
- Provide Integrated Bridge and voyage management services
- Monitor and control ship signature characteristics
- Support Damage Assessment and Control
- Control Access to Secure Areas

## Infrastructure Domain

- Provide computing and network services for applications
- Monitor and control computing environment resources and report status

## Support Domain

- Evaluate overall ship readiness
- Provide data to fleet logistics systems and distance support


## Training Domain

- Provide simulated training environment
- Script and execute training scenarios
- Simulate system inputs IAW scenario
- Control training configuration and events
- Capture training assessment data
- Playback training results and debrief crew
- Provide simulated ship position/movement
- Maintain training record
- Evaluate overall ship readiness
- Provide data to fleet logistics systems and distance support



# Top Level Objective Architecture

"Component View..."







# ***Engineering Approach***

# Engineering Approach

*Integrating Product-Line Components into Aegis...*



- **Establish Architecture Context:**

- Adopt Consistent Terminology, Allocation and Boundaries
- Define Common Core Components – Key Interactions
- Provide Overall Guidance – Architecture Definition Document (ADD)

- **Normalize Requirements:**

- Utilize Government-led Working Groups
- Compare/Contrast System Requirements and Design Approaches
- Resolve Differences:
  - Establish Common Requirements
  - Establish System-Dependent Behavior
- Verify Using System Threads

- **Utilize Model-Based Tools/Methodologies:**

- Define Data Representation (e.g., Structure, Information-Flow)
- Auto-Generate Code and Specifications/Documents
- Provide Configurable and Flexible Performance


***Data Model is Key***

# Model Driven Architecture

*“Defining Components...”*




## System Threads




## Data Model

*Data at Rest*  
*Data in Motion*



- Map legacy data
- Normalize it
- Bin into messages

## IPO per component




## SRS per common component


*Applicable legacy requirements*  
*New flowed down requirements*



# Data Model Overview




# Data Model Overview (cont.)






# Model Driven Architecture

*“Data Model Definition...”*




# Sample Track Attributes

Extracted from track data model...




# Sample Track Server APIs

Extracted from track data model...



# Component Framework Services



**Component  
Framework  
Services**

Key



Common Components



Component Framework Services




Aegis C2/System Services



COTS

# Component Framework


## Operational Mode Transitions...






# Component Framework

## Availability and Presence States...




# Model Driven Architecture

“Code Generation...”




# Model Driven Architecture

*"Product-Line Component Generation..."*



# Variation Techniques



*Providing flexibility for SW component behavior...*



# Model Driven Architecture

"Putting It All Together..."

AMOD ACB 12





# Summary



- **Navy Has Followed a Comprehensive Plan Towards Open Architecture**
  - Utilization of COTS Technologies and Products
  - Incorporation of Component-Based Designs
  - Increased Number of Players/Opportunities
- **Product Line Approach Established to Facilitate Combat System Alignment**
  - Government Owned Architecture and Authenticated Interfaces
  - High-Level Acquisition Strategy
  - Robust Reference (aka Objective) Architecture
- **Model-Driven Tools/Methodologies Have Been Used Effectively**
  - Data Model Representation of Information Structure and Flow
  - Auto-Generation of Code and Specifications/Documents
  - Initial Common Components Have Been Successfully Integrated into Aegis Baseline 9



# Glossary



Acronym	Description	Acronym	Description
<b>ACB08</b>	Advanced Capability Baseline 2008	<b>LAN</b>	Local Area Network
<b>ACB12</b>	Advanced Capability Baseline 2012	<b>LM</b>	Lockheed Martin
<b>ACS</b>	Aegis Combat System	<b>LOT</b>	Launch on TADIL
<b>ADD</b>	Architecture Definition Document	<b>MMSP</b>	Multi-Mission Signal Processor
<b>Aegis</b>	(not an acronym) Greek Shield of Zeus	<b>MS</b>	MicroSoft
<b>ALIS</b>	Aegis LAN Interconnect System	<b>NIFC-CA</b>	Naval Integrated Fire Control - Counter Air
<b>AMOD</b>	Aegis MODernization	<b>OA</b>	Open Architecture
<b>API</b>	Application Programming Interface	<b>OAET</b>	Open Architecture Enterprise Team
<b>ASCM</b>	Anti-Ship Cruise Missile	<b>OASM</b>	Open Architecture System Management
<b>ASROC</b>	Anti-Submarine ROcket	<b>P/S</b>	Publish/Subscribe
<b>BL</b>	Baseline	<b>PIDS</b>	Prime Item Development Specification
<b>BMD</b>	Ballistic Missile Defense	<b>PIM</b>	Platform Independent Model
<b>C2</b>	Command and Control	<b>PSEA</b>	Platform System Engineering Agent
<b>CCB</b>	Configuration Control Board	<b>PSM</b>	Platform Specific Model
<b>CEC</b>	Cooperative Engagement Capability	<b>Pub/Sub</b>	Publish/Subscribe
<b>CG</b>	Guided Missile Cruisers	<b>RF</b>	Radio Frequency
<b>CIWS</b>	Close In Weapon System	<b>SAD</b>	System Architecture Document
<b>CM</b>	Configuration Management	<b>SAN</b>	Storage Area Network
<b>COTS</b>	Commercial Off-the-Shelf	<b>SBT</b>	Sea-Based Terminal
<b>CPCR</b>	Computer Program Change Request	<b>SI/DA</b>	System Integrator / Design Agent
<b>CR</b>	COTS Refresh	<b>SM</b>	Standard Missile
<b>CSEA</b>	Combat System Engineering Agent	<b>SMP</b>	Symmetric MultiProcessor
<b>CVN</b>	Carrier Vessel Nuclear	<b>SQT</b>	System Qualification Test
<b>DDG</b>	Guided Missile Destroyer	<b>SRS</b>	System Requirements Specification
<b>DDS</b>	Data Distribution Service	<b>SSDD</b>	System/Segment Design Document
<b>DM</b>	Data Model	<b>SSDS</b>	Ship Self Defense System
<b>DOORS</b>	Dynamic Object-Oriented Requirements System	<b>SSR</b>	Software Specification Review
<b>ESSM</b>	Evolved Sea Sparrow Missile	<b>STM</b>	System Track Manager
<b>ETR</b>	Engineering Technical Review	<b>SVC</b>	Service
<b>GCC</b>	GNU Compiler	<b>SW</b>	Software
<b>GFE</b>	Government Furnished Equipment	<b>SysML</b>	Systems Modeling Language
<b>HM&amp;E</b>	Hull, Mechanical and Electrical	<b>T&amp;E</b>	Test and Evaluation
<b>HW</b>	Hardware	<b>TADIL</b>	Tactical Digital Information Link
<b>IAW</b>	In Accordance With	<b>TI</b>	Technology Insertion
<b>IDD</b>	Interface Definition Document	<b>TLAM</b>	Tomahawk Land-Attack Missile
<b>IDS</b>	Interface Design Specification	<b>TOR</b>	Test Observation Report
<b>IMS</b>	Integrated Master Schedule	<b>TS</b>	Track Server
<b>IPO</b>	Input/Output/Process	<b>UML</b>	Unified Modeling Language
<b>IR</b>	Infrared	<b>VLA</b>	Vertical Launch ASROC
<b>JTM</b>	Joint Track Management	<b>VLS</b>	Vertical Launch System
<b>KA</b>	Kill Assessment	<b>XML</b>	eXtensible Markup Language